





AR20(*)-B to AR60(*)-B, Regolatore con valvola di by-pass AR20K-F02-B

Scheda tecnica

I regolatori della serie AR-B, economica e dal design pulito, offrono diverse regolazioni del campo di pressione adatte alla maggior parte delle applicazioni. La manopola di bloccaggio della regolazione evita la modifica accidentale delle regolazioni. Il design modulare della serie AR consente l'integrazione con altri dispositivi di trattamento dell'aria di SMC.





*Valvola di controllo pressione, regolatore di
pressione di scarico, regolabile*

Specifiche standard

Esecuzioni su richiesta 1	Nessuno
Dimensione corpo	20
Funzione unidirezionale	K (con valvola di by-pass)
Filettatura	F (G)
Attacco	02 (1/4)
Opzione	Standard
Semi-standard	Standard
Esecuzioni su richiesta 2	Nessuno
Fluido di pressione	Aria
Massima temperatura del fluido	60 °C
Minima temperatura del fluido in pressione	-5 °C [senza congelamento]
Pressione massima di esercizio	1.0 MPa
Pressione di prova	1.5 MPa
Massima temperatura ambiente	60 °C
Minima temperatura ambiente	-5 °C [senza congelamento]
Conforme alla Direttiva Europea RoHS	Conforme
Approvazioni	Nessun bisogno
Weight	0.157 Kg


Dimensioni



Costruzione

Construction

AR20(K)-B/AR25(K)-B



Component Parts

No.	Description	Material	Model	Colour
1	Body	Zinc die-cast	AR10-A	White
		Aluminium die-cast	AR20(K)-B to AR60(K)-B	
2	Bonnet	Polyacetal	AR10-A	White
			AR20(K)-B to AR40(K)-B	
		Aluminium die-cast	AR50(K)-B/AR60(K)-B	

Replacement Parts

[AR10-A]

No.	Description	Material	Part no.
3	Valve	HNBR	AR10P-090S
4	Piston assembly	Polyacetal	AR10P-150AS
5	Valve guide assembly	Polyacetal	131329

[AR20(K)-B to AR60(K)-B]

No.	Description	Material	Part no.	
			AR20(K)-B	AR25(K)-B
3	Valve	Brass, HNBR	AR20P-410S	AR25P-410S
4	Diaphragm assembly	Weatherable NBR	AR20P-150AS	AR25P-150AS
5	Valve guide assembly	Polyacetal	AR20P-050AS	AR25P-050AS
6	Check valve assembly *1	—	AR23KP-020AS	

*1 Check valve assembly is applicable for a regulator with backflow function (AR20K-B to AR60K-B) only.
Assembly of a check valve cover, check valve body assembly and 2 mounting screws

Informazioni aggiuntive

Catalogo

[AC-B-B_IT.pdf](#)